

MAGURA
NETWORK



2016

BIKE COMPONENTS



MAGURA

MAGURA ASIA LIMITED CO.
No.9, Industrial Park 10th Road,
Taichung City, 40755 Taiwan
Phone: +886-4-2359-8555
Fax: +886-4-2359-9910
www.magura.com · facebook.com/maguraasia


© MAGURA, All rights reserved
規格如有變更，恕不另行通知
Features may be subject to change

德國瑪古拉企業集團
瑪古拉亞洲有限公司
台中市西屯區工業區十路9號
電話: +886 4 2359 8555
傳真: +886 4 2359 9910
www.magura.com · facebook.com/maguraasia



MAGURA





INSIDE 目錄

TECHNOLOGY 技術特點	6
eLECT CONNECTIVITY 智能連接 避震系統	10
GRAVITY SERIES 重力系列	12
MT5—MT7—VYRON eLECT SEATPOST	
COMPETITION SERIES 競賽系列	18
MT6—MT8—RT6 TT—RT8 TT—TS8—TS RC	
SPEED eMOBILITY SERIES 電動車速度系列	24
MT4e—MT5e—HS33 Re	
MULTI USE 多功能系列	28
MT2—MT4—HS11—HS22—HS33 R—HS33 R Urban HS33 R Trial—HS33 R FIRMtech—TS6	
SPARE PARTS 備用配件	36
OVERVIEW 規格總覽	38



**HYDRAULICS,
ELECTRONICS
& COMPOSITE
BY MAGURA**

**液壓工程
電子工程
複合材料
MAGURA
完美呈現**



550 PEOPLE. ONE PASSION:

German Engineering.
Perfect Construction.
Highest Quality Production.
Subsidiaries in Germany, Asia, USA.
Professional Assembly.
State of the Art Technology.
Dedicated to you.

MAGURA.

凝聚550位員工 的熱誠:

堅持德式工藝精神
淬鍊完美產品結構
要求最高生產品質
服務網絡遍及德國、亞洲、美國
最專業的組裝線
最先進的技術工法
誠摯獻給您

MAGURA



BRAKES 煞車系統

EASY BLEED TECHNOLOGY 易注油技術

Quick and easy bleeding
快速、簡易的灌油

BITE ADJUST TECHNOLOGY 煞車靈敏度微調技術

Tool-less bite adjust
免工具進行靈敏度調整

TOOL-LESS REACH ADJUSTMENT 免工具握距調整技術

Reach adjust
免工具進行握距調整



Royal
Blood
皇家礦物油

MT

BANJO FITTING 可調式油管

Rotatable hose routing
可調式油管使走線更為流暢

MAGNETIXCHANGE 飛速磁力活塞

Easy brake pad replacement
磁吸式卡鉗活塞，大幅簡化及加快來令片更換

TRIPLE ARCH DESIGN 三拱橋設計

Ultimate brake caliper rigidity
究極卡鉗剛性

MAGURA BRAKES FOR eBIKES 電動自行車專用煞車

A cut off switch is provided to
all brakes with an eBike option.
所有電動煞車配備自動開關

CARBOTECTURE SL AND CARBOLAY

超輕高科技碳纖維複合材質及
全自動定位的不間斷碳纖粗紗成型技術

Carbon fibers are extremely light,
impact-resistant, shatter-proof and have
the highest degree of stiffness.
結合碳纖維極輕、耐衝擊及剛性結構的堅固特性

5 YEARS LEAK PROOF WARRANTY
5年防漏保固

 **DESIGNED AND ENGINEERED IN GERMANY**
德國研發設計



STORM HC 風暴.HC

The new Storm HC rotor designed for extreme use for unparalleled braking performance under high braking forces. 全新風暴.HC 專為在極端的條件下，提供您無與倫比的制動力所設計



STORM SL 風暴.超輕


The lightest rotor combining great brake performance with minimal weight. 風暴.超輕 結合絕佳的性能與最輕的重量



MAGURA BREMSSCHEIBE 瑪古拉.碟盤

The entry level rotor to the Magura brake disc selection. High performance with a minimum of noise production. 瑪古拉的最佳入門款碟盤，高效能與低噪音的優秀產品。

HS



BRAKE BOOSTER 補強片

Brake Booster for optimized pressure point

補強片強化壓力點，避免煞車力道大於車架受力而產生變形或異音



FIRM tech® 瑪古拉完全整合技術

Optimized braking power and reduced weight because the brake is mounted directly. 204 g weight saving.

本煞車可直接安裝於前叉上，不僅減輕重量也帶來更強大的煞車力道，重量較原始版本輕204克。

HS EASY MOUNT HS 簡易安裝

Easy mount and adjustment
升級套件簡化安裝及調整的步驟

EV02 EV02固定座

Flexible adaptation to all systems
靈活適用於所有系統

RT

ULTRA-STIFF 絕佳剛性

Full carbon lever blade
(RT8 TT)
全碳纖維車拉柄(RT8TT)



LIGHT-ACTION BRAKING 輕鬆發揮制動效能

Ball bearings
for light-action
braking

滾珠軸承設計，
輕鬆發揮制動
效能



DAMPING SETTINGS 阻尼調控桿

RC: Rebound damping and
compression from open
through aggressive riding up
to lockout


RC:從開到關操控阻尼的回彈
與壓縮，為激進的騎程做好準備



TS RC TS RC後避震器

Open: Highest sensitivity
Firm: Reduced sensitivity
Close: Locked with blow off

全開模式: 提供最靈敏的壓縮作動
平台模式: 靈敏度適中
鎖死模式: 洩壓鎖死功能



TRAVEL 避震行程

Different fitting lengths available
可調式避震行程



TS

eLECT MODULE 智能模組

eLECT module for automatic
adjustment on the trail
透過智能模組根據
路況自動調整避震器



VOLUME SPACER FOR FORKS AND DAMPERS 前叉與阻尼專用氣室墊片組

Tunable spring rate from "linear to
progressive" by volume tuning.
可調整彈簧曲線

*Perfect for Trail and
Allmountain bikes*
林道與全山地的最佳選擇

SUSPENSION

避震前叉

Easy handling
操作易上手

Easy maintenance
保養超簡單

Best stiffness with DAD & M15
DAD及M15提供絕佳韌性

DAMPING VARIATIONS
阻尼差異

Compression units
壓縮模組

TS



eLECT

automatic mode / wireless manual mode
全自動模式 / 無線手動模式



DLO³

Open: Highest sensitivity 全開模式: 提供最靈敏的壓縮作動
Firm: Reduced sensitivity 平台模式: 靈敏度適中
Close: Locked with blow off 鎖死模式: 洩壓鎖死功能



DLO²

Open: Highest sensitivity 全開模式: 提供最靈敏的壓縮作動
Close: Locked with blow off 鎖死模式: 洩壓鎖死功能



M15

15 mm thru-axle with T25
Tool for greater stiffness

15mm 穿插軸整合T25工具，
更堅固的剛性



RCL² REMOTE

Ergonomic remote for DLO²
DLO² 人體工學線控器

DOUBLE ARCH DESIGN 獨家雙拱橋設計

High torsional stiffness
強化下管抗扭力韌性

LIGHTWEIGHT CROWN 輕量肩蓋

Weight-saving
crown
節省更多重量



9/15 mm Axle
9/15 mm 穿插軸

eLECT CONNECTIVITY

eLECT 智能連接系統

Always in the correct mode due to the automatic control of the lockout through the 3d acceleration sensor.

透過3d 感應器所操控的自動鎖死功能，讓您始終保持在最適當的模式

Free-fall detection
自由落體感應器

3d acceleration sensor
3d自動感應裝置

Wireless remote
無線遙控

eLECT REMOTE
eLECT 遙控器

eLECT COACH
eLECT 教練顯示器

TS R eLECT REARSHOCK
eLECT 後避震器

VYRON eLECT
SEATPOST
eLECT 座管

TS8 eLECT FORK
eLECT 避震前叉



» eLECT - 100% driving experience, security and efficiency
due wireless control, engineered in Germany. «

» eLECT- 無線控制帶給您100% 騎乘樂趣、安全性及效率，
源自於德國設計。«

For more information visit:
更多資訊，請參訪

www.magura.com/eLECT



eLECT-UPGRADE KIT
eLECT - 智能避震系統升級套件組

For all MAGURA forks (MY2010+)
Content: eLECT Control Unit,
eLECT Remote, Mounting Kit, Charging
Kit, Fitting Tool.

內容物: eLECT 控制模組、eLECT遙控器、
安裝組、充電組、安裝工具組



**eLECT
REMOTE
eLECT
遙控器**

**TS R eLECT
REARSHOCK
TS R eLECT
後避震**

**TS8
eLECT
FORK
TS8
eLECT
避震前叉**



**VYRON
eLECT
SEATPOST
eLECT
座管**

The first wireless
connected bike
components.

史上第一套
自行車無線感應設備組



**eLECT
COACH
eLECT
教練顯示器**



MAGURA eLECT APP

Available from November 2015 即將於2015年11月上市



Download on the
App Store



ANDROID APP ON
Google play



COMPETITION SERIES
SPEED eMOBILITY SERIES
MULTI USE

GRAVITY

SERIES





Feel the ultimate rush on the bike. Built for
extreme Downhill and Enduro rides,
across even the most punishing terrains
our GRAVITY Series components
maximize braking power and bike control.

帶您體驗終極高峰

專為極端的下坡賽及耐力賽設計，
重力系列發揮極致的制動力和操控性，
就連嚴酷的地形障礙也能輕鬆跨越

MT7

AWARD-WINNING BRAKE
4-PISTONS BRAKE CALIPER
CARBOTECTURE SL MASTER-BODY
—FROM 375 G

MT7

榮獲金牌殊榮煞車
4活塞煞車卡鉗
高科技碳纖維複合材質的煞把本體
— 375克起





VYRON eLECT SEATPOST

150 MM TRAVEL
eLECT WIRELESS CONTROLLED
— FROM 595 G

eLECT 智能座管

150MM 行程
eLECT 無線控制
— 595 克起



WIRELESS
無線感應



GRAVITY SERIES

重力系列

DOWNHILL—ENDURO—TRAIL—TOUR—MARATHON—XC—E-MTB
SPEED C-BIKE—E-BIKE—TREKKING—CITY—ROAD—TRIATHLON/TT

MT7

Weight (g) 重量	375*
Master 本體	Carbotecture SL 高科技碳纖維複合材質
Lever blade 拉柄	Hollow Aluminium 鋁合金中空拉柄
Reach Adjust 握距調整	tool-less 免工具
Bite Adjust 靈敏度調整	tool-less 免工具
Caliper 卡鉗	Aluminium 鋁合金
Pistons 活塞	4 活塞
Rotor recommendation 推薦碟盤	Storm HC 203/180/160
Mounting 卡鉗固定座	PM/IS PM正鎖式/IS側鎖式
RRP (€) 建議售價(歐元)	219,00

5 YEARS LEAK PROOF WARRANTY

filled with Royal Blood



BEST IN TEST



Optimized Reach Adjust

最佳化握距調整旋鈕

MT5



Weight (g) 重量	380*
Master 本體	Carbotecture® 高科技纖維複合材質
Lever blade 拉柄	Aluminium 鋁合金
Reach Adjust 握距調整	Tool T25 T25 星形 螺絲起子
Bite Adjust 靈敏度調整	-
Caliper 卡鉗	Aluminium 鋁合金
Pistons 活塞	4 活塞
Rotor recommendation 推薦碟盤	Storm HC 203/180/160
Mounting 卡鉗固定座	PM/IS PM正鎖式/IS側鎖式
RRP (€) 建議售價(歐元)	111,00

5 YEARS LEAK PROOF WARRANTY

filled with Royal Blood

STORM HC



Weight (g) 重量	127, 148, 182
Diameter 直徑	140, 180, 203
Material 材質	Steel 鋼
RRP (€) 建議售價(歐元)	30,00

The new Storm HC rotor designed for extreme use for unparalleled braking performance under high braking forces.

全新風暴HC 專為在極端的條件下，提供您無與倫比的制動力所設計



VYRON eLECT SEATPOST

Weight (g) 重量	595
Material 材質	black-anodised 黑色陽極
Length (mm) 長度	446
Diameter (mm) 直徑	30,9 mm; 31,6 mm
Travel (mm) 避震行程	150 mm continuously 150mm連續行程
Charging unit 充電插座	Micro-USB
Charging time 充電時間	app. 3 h 約3小時
Charge after 充電後	app. 400 uses 可使用約400次
RRP (€) 建議售價(歐元)	400,00



GRAVITY SERIES
SPEED eMOBILITY SERIES
MULTI USE

COMPETITION SERIES





Designed by professionals, for professionals.
Decades of testing and development have
gone into perfecting our Competition Series.
With extreme lightweight performance and
impeccable control, there is only one objective
in mind: Race to win.


為了滿足專業玩家的精心設計
幾十年來的研發及測試，成就完美的競賽系列
憑藉極致輕巧的性能及無懈可擊的操控，
始終唯一不變的目標：贏得勝利



MT8

OUTSTANDING PERFORMANCE
2-PISTONS BRAKE CALIPER
CARBOTECTURE SL MASTER-BODY
—FROM 299 G

高超絕卓的制動性能
2活塞卡鉗
高科技碳纖維複合材質的煞把本體
—299 克起



COMPETITION SERIES

競賽系列

DOWNHILL—ENDURO—TRAIL—TOUR—MARATHON—XC—E-MTB
SPEED E-BIKE—E-BIKE—TREKKING—CITY—ROAD—TRIATHLON/TT

MT8

Weight (g) 重量	299*
Master 本體	Carbotecture SL 高科技碳纖複合材質
Lever blade 拉柄	Carbolay 全自動定位的不間斷碳纖粗紗成型
Caliper 卡鉗	Aluminium 鋁合金
Reach Adjust 握距調整	tool-less 免工具調整
Bite Adjust 靈敏度調整	tool-less 免工具調整
Pistons 活塞	2 活塞
Rotor recommendation 推薦碟盤	Storm SL 203/180/160/140
Mounting 卡鉗固定座	PM/IS PM正鎖式/ IS側鎖式
RRP (€) 建議售價(歐元)	279,00

5 YEARS LEAK PROOF WARRANTY

filled with Royal Blood



Optimized Reach Adjust
最佳化握距調整旋鈕

最佳化握距調整旋鈕

Optimized Reach Adjust

MT6

Weight (g) 重量	299*
Master 本體	Carbotecture SL 高科技碳纖複合材質
Lever blade 拉柄	Carbolay 全自動定位的不間斷碳纖粗紗成型
Reach Adjust 握距調整	tool-less 免工具調整
Bite Adjust 靈敏度調整	tool-less 免工具調整
Caliper 卡鉗	Aluminium 鋁合金
Pistons 活塞	2 活塞
Rotor recommendation 推薦碟盤	Storm SL 203/180/160/140
Mounting 卡鉗固定座	PM/IS PM正鎖式/ IS側鎖式
RRP (€) 建議售價(歐元)	179,00

5 YEARS LEAK PROOF WARRANTY

filled with Royal Blood



STORM SL

Weight (g) 重量	75, 95, 122, 153
Diameter 直徑	140, 160, 180, 203
Material 材質	Steel 鋼
RRP (€) 建議售價(歐元)	35,00

The lightest rotor combining great brake performance with minimal weight.
風暴超輕 結合絕佳的性能與最輕的重量





TS8



Weight (mm) 重量	1665-1782
Travel (mm) 避震行程	100, 120, 150
Wheel size 輪組尺寸	26", 27,5", 29"
Damping 阻尼技術	DLO ² , DLO ³ , eLECT
Remote 控制器	wireless, cable 無線遙控, 線控
Brake mounting 碟煞固定座	PM 6", PM 7"
RRP (€) from 建議售價(歐元)	700,00 / eLECT: 999,99**

TS RC



Eye to eye length (mm) 眼對眼長度(mm)	165	190	200	215
Adjustability 可調性	open, firm, lock 全開模式, 平台模式, 鎖死模式			
Travel (mm) 避震行程(mm)	38	51	56	63
Weight (g) 重量	255	242	250	258
RRP (€) from 建議售價(歐元)	349,00 / eLECT: 499,00			

RT8 TT



Weight (g) 重量	518
Master 本體	Aluminium 鋁合金
Lever blade 拉柄材質	Carbon 碳纖
Reach Adjust 握距調整	tool-less 免工具
Caliper 卡鉗	Aluminium 鋁合金
Lever blade 煞車拉柄	2-Finger 2-指
Mounting 固定座	Central Bolt 標準中央鎖固座
RRP (€) 建議售價(歐元)	325,00

5 YEARS LEAK PROOF WARRANTY

filled with Royal Blood

RT6 TT



Weight (g) 重量	578
Master 本體	Aluminium 鋁合金
Lever blade 拉柄材質	Aluminium 鋁合金
Reach Adjust 握距調整	tool-less 免工具
Caliper 卡鉗	Aluminium 鋁合金
Lever blade 煞車拉柄	2-Finger 2-指
Mounting 固定座	Central Bolt 標準中央鎖固座
RRP (€) 建議售價(歐元)	275,00


5 YEARS LEAK PROOF WARRANTY

filled with Royal Blood

** All variants in the overview on page 40 規格總覽, 請見第40頁

GRAVITY SERIES
COMPETITION SERIES
MULTI USE

SPEED eMOBILITY SERIES



A man wearing a white helmet, glasses, a dark suit jacket, and light blue jeans is riding a black e-bike on a city street. He has a brown messenger bag slung over his shoulder. The background shows a blurred city street with cars and buildings, suggesting motion. The image is framed with a diagonal line in the top left corner.

Simply powerful, stylish and ergonomic,
our award-winning SPEED eMOBILITY SERIES
is the eBike and Pedelec industry leader in
safety and comfort. Maintenance has been mini-
mized for complete peace of mind on the road.

外型簡潔時尚卻擁有強大制動力及符合人體工學，
應證在我們屢獲殊榮的電動車速度系列上
做為電動車及電動輔助自行車工業，安全、舒適的領導者，
我們同時不忘簡化保養流程，就是為了讓您安心馳騁於道路之上。



MT5e

OPTIMAL BRAKING POWER
4-PISTONS BRAKE CALIPER
CARBOTECTURE® MASTER-BODY
—FROM 380 G

最佳制動力
4活塞
高科技纖維複合材質的煞把本體
— 380 克起

Speed up to 45 km/h

可適用於45 km/h 以上電動車

SPEED eMOBILITY SERIES

電動車速度系列

DOWNHILL — ENDURO — TRAIL — TOUR — MARATHON — XC — E-MTB
SPEED E-BIKE — E-BIKE — TREKKING — CITY — ROAD — TRIATHLON/TT



MT5e

Weight (g) 重量	380*
Master 本體	Carbotecture® 高科技纖維複合材質
Lever blade 拉柄	Aluminium 鋁合金
Reach Adjust 握距調整	Tool T25 T25星形螺絲起子
Bite Adjust 靈敏度調整	—
Caliper 卡鉗	Aluminium 鋁合金
Pistons 活塞	4 活塞
Rotor recommendation 推薦搭配碟盤	Storm HC 203/180/160
Mounting 卡鉗固定座	PM/IS PM正鎖式/ IS側鎖式
RRP (€) 建議售價(歐元)	140,00

5 YEARS LEAK PROOF WARRANTY

filled with
Royal Blood



MT4e

Weight (g) 重量	345*
Master 本體	Carbotecture® 高科技纖維複合材質
Lever blade 拉柄	Aluminium 鋁合金
Reach Adjust 握距調整	Tool T25 T25星形螺絲起子
Bite Adjust 靈敏度調整	tool-less 免工具調整
Caliper 卡鉗	Aluminium 鋁合金
Pistons 活塞	2 活塞
Rotor recommendation 推薦搭配碟盤	Storm HC 203/180/160
Mounting 卡鉗固定座	PM/IS PM正鎖式/ IS側鎖式

Not available in aftermarket.
暫不適用於補修市場

5 YEARS LEAK PROOF WARRANTY

filled with
Royal Blood



HS33 Re

Weight (g) 重量	449
Master 本體	Carbotecture® 高科技纖維複合材質
Lever blade 拉柄	Aluminium 鋁合金
Reach Adjust 握距調整	Tool T25 T25星形螺絲起子
Bite Adjust 靈敏度調整	TPA 剎車塊調整鈕
Caliper 卡鉗	Aluminium 鋁合金
Lever blade 拉柄	2-Finger; optional: 4-Fin- 2-指加購: ger, 4-Finger ball-end 4-指, 4-指加圓頭
Mounting 卡鉗固定座	Canti V夾

Not available in aftermarket.
暫不適用於補修市場

5 YEARS LEAK PROOF WARRANTY

filled with
Royal Blood



STORM HC

Weight (g) 重量	127, 148, 182
Diameter 直徑	140, 180, 203
Material 材質	Steel 鋼
RRP (€) 建議售價(歐元)	30,00

The new Storm HC rotor designed for extreme use for unparalleled braking performance under high braking forces.
全新風暴HC 專為在極端的條件下，提供您無與倫比的制動力所設計

*incl. Rotor Disc *包含碟盤

MAGURA products overview on p. 40/42
MAGURA 產品總覽，請見第40/42頁

GRAVITY SERIES
COMPETITION SERIES
SPEED eMOBILITY SERIES

MULTI USE

Discover a new way to explore the world.
MULTI USE components offer the perfect introduction to MAGURA performance, at exceptional value for money. All-round safety and reliability come as standard, giving entry-level cyclists the freedom to get moving.

發現新的方式去探索世界
多功能系列完美詮釋MAGURA物超所值的性能，
以全方位的安全性和可靠性為基準，
就算是初學車手也能輕鬆駕馭

перевал
„АК - БАЙТАЛ“
Высота 4655





HS22

3-FINGER BRAKING LEVER BLADE
TOOL-LESS REACH ADJUST
CARBOTECTURE MASTER-BODY
— FROM 440 G

HS22

3-指煞車拉柄
免工具握距調整
高科技纖維複合材質的煞把本體
— 440克起

MT4

HIGH PERFORMANCE
2-PISTONS BRAKE CALIPER
CARBOTECTURE® MASTER-BODY
— FROM 345 G

MT4

卓越性能
2活塞卡鉗
高科技纖維複合材質煞把本體
— 345克起



MULTI USE

多功能系列

DOWNHILL—ENDURO—TRAIL—TOUR—MARATHON—XC—E-MTB
SPEED E-BIKE—E-BIKE—TREKKING—CITY—ROAD—TRIATHLON/TT

HS22

Weight (g) 重量	440
Master 本體	Carbotecture® 高科技纖維複合材質
Lever blade 拉柄	Carbotecture® 高科技纖維複合材質
Reach Adjust 握距調整	tool-less 免工具
Bite Adjust 靈敏度調整	TPA 煞車塊調整鈕
Caliper 卡鉗	Aluminium 鋁合金
Lever blade 煞車拉柄	3-Finger 3-指
RRP (€) 建議售價(歐元)	90,00

5 YEARS LEAK PROOF WARRANTY

filled with Royal Blood



HS11

Weight (g) 重量	445
Master 本體	Carbotecture® 高科技纖維複合材質
Lever blade 拉柄	Aluminium 鋁合金
Reach Adjust 握距調整	Tool T25 T25星形螺絲起子
Bite Adjust 靈敏度調整	TPA 煞車塊調整鈕
Caliper 卡鉗	Aluminium 鋁合金
Lever blade 煞車拉柄	4-Finger, 2-Finger; 4-指; 2-指; opt.: 4-Finger ball-end 加購:4-指加圓頭
Mounting 煞車固定座	Canti V夾
RRP (€) 建議售價(歐元)	69,90

5 YEARS LEAK PROOF WARRANTY

filled with Royal Blood



Tool-less Reach Adjust

免工具握距調整



HS33 R



Weight (g) 重量	449
Master 本體	Carbotecture® 高科技纖維複合材質
Lever blade 拉柄	Aluminium 鋁合金
Reach Adjust 握距調整	Tool T25 T25星形 螺絲起子
Bite Adjust 靈敏度調整	TPA 煞車塊調整鈕
Caliper 卡鉗	Aluminium 鋁合金
Lever blade 拉柄	2-Finger; opt.: 4-Finger, 2-指+加購4-指 4-Finger ball-end 4-指加圓頭
Mounting 煞車固定座	Canti V夾
RRP (€) 建議售價(歐元)	110,00

5 YEARS LEAK PROOF WARRANTY

filled with
Royal Blood

HS33 R URBAN



Weight (g) 重量	310
Master 本體	Carbotecture® 高科技纖維複合材質
Lever blade 拉柄	Aluminium 鋁合金
Reach Adjust 握距調整	Tool T25 T25星形 螺絲起子
Bite Adjust 靈敏度調整	TPA 煞車塊調整鈕
Caliper 卡鉗	Aluminium 鋁合金
Lever blade 拉柄	2-Finger 2-指
Mounting 煞車固定座	Central Bolt 中央鎖固式
RRP (€) 建議售價(歐元)	149,00

5 YEARS LEAK PROOF WARRANTY

filled with
Royal Blood

HS33 R TRIAL



Weight (g) 重量	339
Master 本體	Carbotecture® 高科技纖維複合材質
Lever blade 拉柄	Aluminium 鋁合金
Reach Adjust 握距調整	Tool T25 T25星形 螺絲起子
Bite Adjust 靈敏度調整	TPA 煞車塊調整鈕
Caliper 卡鉗	Aluminium 鋁合金
Lever blade 拉柄	2-Finger; opt.: 4-Finger, 2-指+加購4-指 4-Finger ball-end 4-指加圓頭
Mounting 煞車固定座	IDM 攀岩車固定座
RRP (€) 建議售價(歐元)	110,00

5 YEARS LEAK PROOF WARRANTY

filled with
Royal Blood

HS33 R FIRMtech



Weight (g) 重量	245
Master 本體	Carbotecture® 高科技纖維複合材質
Lever blade 拉柄	Aluminium 鋁合金
Reach Adjust 握距調整	Tool T25 T25星形 螺絲起子
Bite Adjust 靈敏度調整	TPA 煞車塊調整鈕
Caliper 卡鉗	Aluminium 鋁合金
Lever blade 拉柄	2-Finger; opt.: 4-Finger, 2-指+加購4-指 4-Finger ball-end 4-指加圓頭
Mounting 煞車固定座	FIRM 完全整合技術
RRP (€) 建議售價(歐元)	110,00

5 YEARS LEAK PROOF WARRANTY

filled with
Royal Blood

MULTI USE 多功能系列

DOWNHILL — ENDURO — TRAIL — TOUR — MARATHON — XC — E-MTB
SPEED E-BIKE — E-BIKE — TREKKING — CITY — ROAD — TRIATHLON/TT

MT4

Weight (g) 重量	345*
Master 本體	Carbotecture® 高科技纖維複合材質
Lever blade 拉柄	Aluminium 鋁合金
Reach Adjust 握距調整	Tool-less 免工具
Bite Adjust 靈敏度調整	-
Caliper 卡鉗	Aluminium 鋁合金
Pistons 活塞	2 活塞
Rotor recommendation 推薦碟盤	Storm HC 203/180/160
Mounting 卡鉗固定座	PM/IS PM正鎖式/IS側鎖式
RRP (€) 建議售價(歐元)	89,00

5 YEARS LEAK PROOF WARRANTY

filled with
Royal Blood



MT2

Weight (g) 重量	365*
Master 本體	Carbotecture® 高科技纖維複合材質
Lever blade 拉柄	Carbotecture® 高科技纖維複合材質
Reach Adjust 握距調整	Tool T25 T25 星形 螺絲起子
Bite Adjust 靈敏度調整	-
Caliper 卡鉗	Aluminium 鋁合金
Pistons 活塞	2 活塞
Rotor recommendation 推薦碟盤	Storm HC 203/180/160
Mounting 卡鉗固定座	PM/IS PM正鎖式/IS側鎖式
RRP (€) 建議售價(歐元)	55,00

5 YEARS LEAK PROOF WARRANTY

filled with
Royal Blood



TS6

Weight (mm) 重量	1550-1789
Travel (mm) 避震行程	100, 120
Wheel size 輪組尺寸	26", 27,5", 29"
Damping 阻尼技術	DLO ²
Remote 控制器	cable 線控
Brake mounting 固定座	PM 6", PM 7", Canti 正鎖式6",7", V夾
RRP (€) 建議售價(歐元)	ab 550,00**



STORM HC

Weight (g) 重量	127, 148, 182
Diameter 直徑	140, 180, 203
Material 材質	Steel 鋼
RRP (€) 建議售價(歐元)	29,90

The new Storm HC rotor designed for extreme use for unparalleled braking performance under high braking forces.
全新風暴HC 專為在極端條件下，提供您無與倫比的制動力所設計。



MAGURA BREMSSCHEIBE

Weight (g) 重量	179
Diameter 直徑	180
Material 材質	Steel 鋼
RRP (€) 建議售價(歐元)	20,00

The entry level rotor to the Magura brake disc selection.
High performance with a minimum of noise production.
瑪古拉的最佳入門款碟盤，高效能與低噪音的優秀產品。


** All variants in the overview on page 40
** 所有規格總覽，請見第40頁




RIM BRAKE PADS
輪圈煞 來令片



ROYAL BLOOD MINERAL OIL
皇家礦物油



DISC BRAKE PADS
碟煞 來令片



DISC BRAKES
碟煞

MAGURA ORIGINAL SPARE PARTS 瑪古拉原裝配件



5 YEARS WARRANTY

MAGURA gives 5-years leak proof warranty for all MAGURA brake calipers and brake pistons if they were used with MAGURA Original Spare Parts.

QUALITY AND FUNCTION

All MAGURA Original Spare Parts go through continuous quality controls. They have the same quality level as the products used for production.

BRAKE PADS AND ROTORS

The best braking performance is guaranteed if our original brake pads and rotors are used.

5年保固

所有煞車卡鉗及活塞，
瑪古拉提供5年防漏保固，
前提是搭配使用瑪古拉原裝配件。

品質及功能保證

瑪古拉所有用於生產的原裝配件
都經過持續不斷的品質控管，
並且具備相同的品質水準。

來令片及碟盤

使用原廠來令片及碟盤，
絕佳煞車制動力是被保證的。



RIM BRAKE PADS

Standard brake pad for
all polished rims (black)
hard anodized and ceramic rims (grey)

Race orientated brake pads for
all polished rims (red)
hard anodized and ceramic rims (green)

DISC BRAKE PADS

x.1: Performance brake pads for maximum braking
performance
x.2: Endurance brake pads for longest durability

BRAKE ROTORS

Storm HC: 160 mm, 180 mm, 203 mm
Storm: 160 mm, 180 mm, 203 mm
Storm SL: 140 mm, 160mm, 180 mm, 203 mm
MAGURA brake rotor: 180 mm



Centerlock adapter
for standard STORM, STORM SL

中心鎖固轉接座
風暴風暴超輕專用



輪圈煞來令片

標準型:

全拋光輪圈(黑色)
表面電鍍及陶瓷輪圈(灰色)

競賽型:

全拋光輪圈(紅色)
表面電鍍及陶瓷輪圈(綠色)

碟煞來令片

x.1: 具備性能的來令片帶給您最強大的煞車制動力
x.2: 耐磨耗的來令片帶給您最長時間的耐用性

碟盤

Storm HC: 160 mm, 180 mm, 203 mm
Storm: 160 mm, 180 mm, 203 mm
Storm SL: 140 mm, 160mm, 180 mm, 203 mm
MAGURA brake rotor: 180 mm


OVERVIEW BRAKES

規格總覽 油壓碟煞


		MT7	MT5	MT8	MT6	MT4	MT2	HS33 R	HS33 R Urban	HS33 R FIRMtech	HS33 R Trial	HS22	HS11	RT8 TT	RT6 TT
Applications 適用車種	MTB	●	●	●	●	●	●	●	●	●	●	●	●		
	Trekking/City Road					●	●	●	●	●	●	●	●	●	●
Weight (g) 重量(g)		375 ^A	380 ^A	299 ^A	320 ^A	345 ^A	365 ^A	449 ^A	310 ^A	245 ^A	339 ^A	440 ^A	445 ^A	518 ^B	578 ^B
Material 材質	Master 本體	Carbotecture SL	●	●	●										
		Carbotecture®		●		●	●	●	●	●	●	●	●		
		Aluminium												●	●
	Lever blade 拉柄	Carbolay		●										●	
		Carbon												●	
		Carbotecture®					●					●			
	Caliper 卡鉗	Aluminium		●		●		●	●	●	●		●		●
		Alumin.-Hollow	●			●									
		Aluminium	●	●	●	●	●	●	●	●	●	●	●	●	●
	Hydraulic 液壓		●	●	●	●	●	●	●	●	●	●	●	●	●
Brake medium 煞車傳動媒介	Royal Blood	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Features 技術特點	EBT 易注油技術	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	BAT/TPA 剎車靈敏度微調技術	●		●	●			●	●	●	●	●	●		
	Brake Booster 補強片							●				●			
	Banjo 可調式 Fitting 油管	●	●	●	●	●									
	2 Pistons 2活瓣			●	●	●	●								
	4 Pistons 4活瓣	●	●												
	Reach Adjust 過距調整	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Flip-Flop	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Shift Mix	●	●	●	●	●	●	●	●	●	●	●	●		
	Remote Mix	●	●	●	●	●	●	●	●	●	●	●	●		
Rotor ^D 碟盤	Storm SL			●	●										
	Storm HC	●	●			●	●								
Pad mounting 來令片安裝	Magnet with Pin	●		●	●	●	●								
	Magnet w/o Pin		●												
	HS EPR							●		●	●	●	●		
	Standard Cartridge								●					●	●
Lever blade 煞車拉柄	2-Finger	●	●	●	●	●	●	●	●	●	●		●	●	●
	3-Finger											●			
	4-Finger	opt.	opt.		opt.	opt.		opt.		opt.	opt.		●		
	2-Finger ball-end	opt.	opt.		opt.	opt.									
	4-Finger ball-end	opt.	opt.		opt.	opt.		opt.		opt.	opt.		opt.		
Tubing 油管	MAGURA disc tube	●	●	●	●	●									
	MAGURA tube						●	●	●	●	●	●	●	●	●
eBike Schalter Mounting 卡鉗固定座	PM/IS	●	●	●	●	●									
Colours 顏色	Canti							●		FIRM	IDM	●	●		
	Central Bolt								●					●	●
	Master	■	■	■	■	■	■	■	■	■	■	■	■	■	■
	Master Print/ Cover	■	■	■	■	■		■	■	■	■	■		■	■
	Caliper	■	■	■	■	■	■	■	■	■	■	■	■	■	■
	Caliper Cover	■	■	■	■	■									
RRP (€) 建議售價(歐元)		219,00	111,00/ 140,0(e)	279,00	197,00	89,00	55,00	110,00	149,00	110,00	110,00	90,00	69,90	325,00	275,00

BRAKE PADS


來令片




1.2
Gustav M MJ 2000–2011




2.1/2.2
CLARA MJ 2000
LOUISE MJ 2000–2001




3.1/3.2
CLARA MJ 2002
LOUISE/FR MJ 2002–2006




4.1/4.2
JULIE MJ 2001–2008



5.1/5.2
MARTA MJ 2002–2008
MARTA SL MJ 2003–2008



6.1/6.2
LOUISE / CARBON MJ
2008–2011
JULIE HP MJ 2009–2011
MARTA/ SL/FR MJ 2009–2011



7.1/7.2/7.4
MT 2/4/6/8 MJ 2012–2016



8.1
MT 5/7 ab MJ 2015–2016



9.2
MT 5/7 ab MJ 2015–2016

BRAKES

- * All weights +/- 5% 商品重量標示 +/- 5%
- * Compatible with all standard Shimano STI, SRAM Trigger, SRAM and Rohloff twist-grip shifters
相容於標準 Shimano STI 變速系統、SRAM 變速握把、SRAM 及 Rohloff 變速轉把
- * 5 year leak proof warranty on brake levers and brake calipers
煞車把手及卡鉗，提供 5 年防漏保固
- * Weight per brake * 每條煞車重量
- * Total, front + rear, without pads * 總重量，前煞+後煞，不含來令片
- * Recommendation * 建議使用
- * Specifications are subject to change without prior notice
規格如有變更，恕不另行通知

More information on magura.com
更多資訊，請參訪 magura.com

FORKS 避震前叉

Modell 型號		TS6	TS6	TS8	TS8	TS8	TS8	TS8	TS8	TS8	TS8	TS8	TS8
Travel (mm) 避震行程(mm)		100	100	100	100	100	100	100	120	120	120	150	150
Wheel size 輪組尺寸	26"		•	•	•				•			•	
	27,5"					•	•			•			•
	29"	•						•			•		•
Damping 阻尼技術	eLECT			•	•	•	•	•	•	•	•	•	•
	DLO ³											•	•
	DLO ²	•	•	•	•	•	•	•	•	•	•		
Dropout (mm) 鋼爪(mm)		15 ^E	9	15 ^E	9	15 ^E	9	15 ^E	15 ^E	15 ^E	15 ^E	15 ^E	15 ^E
Steerer 頭管規格	1 1/8"		•		•								
	1 1/8" -1,5"	•		•	•	•	•	•	•	•	•	•	•
Remote 控制器	wireless			•	•	•	•	•	•	•	•	•	•
	cable			•	•	•	•	•	•	•	•		
Fork length (mm) 前叉長度(mm)		510	510	483	473	489	486	510	508	510	530	530	539
Brake mounting 碟煞固定座	PM 6"		•		•		•						
	PM 7"	•		•		•		•	•	•	•	•	•
	Canti		•										
Applications 適用車種	CC	•	•	•	•	•	•	•	•	•	•		
	Marathon	•	•	•	•	•	•	•	•	•	•		
	AM/Trail											•	•
	EN											•	•
Colours 顏色			•	•	•			•	•	•	•	•	•
		•	•										
							•	•		•		•	•
Weight (g) from 重量(g)起		1789	1789	1610	1330	1630	1380	1665	1640	1650	1725	1685	1782
RRP (€) from 建議售價(歐元)起		550,00		700,00 / eLECT: 999,00									

REAR SHOCKS 後避震器

		TS RC				TS R eLECT			
Eye to eye length (mm) 眼對眼長度(mm)		165	190	200	215	165	190	200	215
Applications 適用車種	CC	•	•			•	•		
	AM/Trail		•	•	•		•	•	•
	EN				•				•
Adjustability 可調性		open, firm, lock	open, firm, lock	open, firm, lock	open, firm, lock	eLECT, lockout, wireless/ auto	eLECT, lockout, wireless/ auto	eLECT, lockout, wireless/ auto	eLECT, lockout, wireless/ auto
Travel (mm) 避震行程(mm)		38	51	56	63	38	51	56	63
Colours 顏色									
Weight (g) 重量(g)		225	242	250	258	255	272	280	288
RRP (€) 建議售價(歐元)起		349,00				499,00			

SUSPENSION 避震前叉

- Optimal compression damping due to improved shim tuning 經改良的墊片·優化壓縮阻尼
- Double butted 32 mm Stanchions (all forks) 雙筒厚實的32mm內管(所有前叉)
- Approved for discs up to 210 mm 適用於碟片直徑達210mm
- All weights +/- 5 % 商品重量標示±5%
- M15 thru-axe 規格如有變更，恕不另行通知

More information on magura.com
更多資訊，請參訪magura.com

NOTES

SERVICE 瑪古拉 BY MAGURA 維修服務

Dealer Service Hotline

After Sales

Technical Service

經銷商服務熱線

完善的售後服務

專業的技術服務



BOSCH
Technik fürs Leben

MAGURA is official service partner of Bosch eBIKE Systems
美、歐地區獨家代理(亞洲地區除外)



THEY TRUST IN US 合作夥伴

Atala

AXEVO

BATAVUS

bergamont
BICYCLES

BH

Bianchi

BOSCH
Technik fürs Leben

BULLS
THE BIKES YOU WANT

cannondale

carver

CENTURION

cervélo



CRONUS
MORE THAN BICYCLE

CUBE

Diamond
BEWERT SEIT 1985

FEST
BICYCLES

FLYER
Bicycles of Quality

FOCUS

FOX
CYCLES
COM

Gazelle

GERIDA

GIANT

GRACE

Gudereit

HAIBIKE

HERCULES

idwork
it works!

INTENSE
BICYCLES

Kalkhoff



KOGA

KREIDLER
Bike Center

KTM
BIKE INDUSTRIES

LOOK

MARIN

MASSI

MATRA

MAXX
INDIVIDUAL BIKE SOLUTIONS

MERIDA

MIFA
DAS FAHRRAU

moustache

MOVE YOUR
BICYCLE

MC
MULTICYCLE

MULING
RAD-RAU-KUNST

NORCO
BICYCLES

ORTA

PEGASUS

RIESE & MÜLLER

RIXE



ROSE

ROTHILD
WIRTSCHAFTSBIKE

SANTOS
Bike for Life

SIMPLON

SPARTA
Something Special

SPECIALIZED

STAIGER



STEVENS
BIKES

+STROMER-

UNIVEGA
RIDE IT YOUR WAY

Velobility
Public Cycling Solutions

VELOVILLE
das Velo?

VFA fahrradmanufaktur
Freizeit & Arbeit

WILSTEK
WORLDWIDE

WINORA

XDS

ZEG